



# Kondensat- sammelbehälter

KSB-F-10

Mit integrierter Füllstandsmeldung



## EINSATZBEREICH

Biomasse  
Kraftwerke  
Steine und Erden  
Zementindustrie  
Chemie

Gasanalytik  
Emissionsmessung  
Betriebsmessung

## PRODUKTINFORMATION

# Kondensatsammelbehälter

## KSB-F-10



Der KSB-F-10 ist ein 10l naturfarbener Behälter mit Tragegriff, Skala, Verschluss und integrierter Füllstandsmeldung.

### Kondensatsammelbehälter KSB-F-10

- naturfarben
- Liter-Skala
- mit Verschluss und Tragegriff
- mit integrierter Füllstandsmeldung (Schwimmerschalter)

#### TECHNISCHE DATEN

Abmessung ca.  
Ø x h: 206 x 427 mm

Nenninhalt  
10l

Gewicht  
ca. 600 g

Material  
HD-PE

Öffnungsweite  
ca. 50 mm

### Schwimmerschalter

- Füllstandsmessung und Signalgebung

#### TECHNISCHE DATEN

Kontaktart  
1 Schließer

Kabellänge  
0,30 m

Schaltspannung  
200 V/AC

max. Schaltstrom  
0,5 A

Schutzart  
IP 64

RoHS-konform  
Ja

Stecker  
2-polig, Stiftgehäuse  
universal Mate-N-LOK

#### BESTELLNUMMER

Kondensatsammelbehälter KSB-F-10

R002401

Weitere Informationen auf Anfrage!



## Condensate reservoir

KSB-F-10

with integrated fill level signalling



### INDUSTRY SECTOR

Biomass  
Power plants  
Minerals  
Cement industry  
Chemistry

Gas analysis  
Emission measurement  
Operating measurement

### PRODUCT INFORMATION

# Condensate reservoir

KSB-F-10



The KSB-F is an 10l nature coloured ballon with handels, litre scale, closure head and integrated fill level indicator.

## Condensate reservoir KSB-F-10

- nature coloured
- litre scale
- with closure head and handels
- with integrated fill level indicator (liquit float switch)

### TECHNICAL DATA

#### Dimensiones

Ø x h: 206 x 427 mm

#### Nominal volume

10l

#### Weight

ca. 600 g

#### Raw material

HD-PE

#### Nominal screw diameter

ca. 50 mm

## Liquit float switch

- Fill level indicator and signalling

### TECHNICAL DATA

#### Contact type

1 closer

#### Cable length

0,30 m

#### Switching voltage

200 V/AC

#### Max. switching current

0,5 A

#### Protection

IP 64

#### RoHS-konform

Yes

#### Plug

2-pin, pin housing  
universal Mate-N-LOK

## ORDER NUMBERS

Condensate reservoir KSB-F-10

R002401

Further information on request!